PATIL DYESTUFF INDUSTRIES

TECHNICAL DATA SHEET

POLY BUTYL TITANATE PRT

PBT is a titanium alkoxide, Poly Butyl Titanate. **PBT** is a highly reactive catalyst & can be used in direct & transesterification reactions.

Physical & Chemical Properties

Sr. No.	Test	Unit	Value
1	Appearance	-	Yellow liquid
2	Titanium Content	%	20.4
3	Specific Gravity	g/ml	1.12
4	Flash Point	°C	45
5	Melt / Pour Point	°C	-25

IMPORTANT: The following supersedes Buyer's documents. SELLER MAKES NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, INCLUDING OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. No statements herein are to be construed as inducements to infringe any relevant patent. Under no circumstances shall seller be liable for incidental, consequential or indirect damages for alleged negligence, breach of warranty, strict liability, tort or contract arising in connection with the product(s). Buyer's sole remedy and Seller's sole liability for any claims shall be Buyer's purchase price. Data and results are based on controlled or lab work and must be confirmed by Buyer by testing for the intended conditions of use. The product(s) has (have) not been tested for , and is (are) therefore not recommended for , uses for which prolonged contact with mucous membranes, anraded skin, or blood is intended; or for uses for which implantation within the human body is intended.